

IN THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application. Where claims have been amended and/or canceled, such amendments and/or cancellations are done without prejudice and/or waiver and/or disclaimer, and Assignee reserves the right to claim this subject matter in a continuing application or otherwise:

1. (Currently Amended) A method for setting up a redirection of contacts coming to a terminal, said redirection being to at least one other communication system, the method comprising:

sending to the terminal a proposal of an address of said at least one other communication system by utilizing a data transmission connection set up between the terminal and a first communication system to be accepted and/or to activate the redirection, wherein the proposal identifies ~~comprises~~ one or more possible call forward targets of the at least one other communication system outside a home network of the terminal;

receiving, from the terminal, an acceptance based on the proposal and user input regarding the proposal;

in response to the acceptance of the proposal, automatically setting up a redirection of calls to the terminal to the at least one other communication system; and

wherein the ~~received~~ contacts are directed to the at least one other communication system based, at least in part, on a parameter selected from a group of parameters including at least one of:

- a presence of text content in said contact,
- a presence of audio content in said contact,
- a presence of pictorial content in said contact,
- a subject of said contact,
- a caller originating said contact, and
- a calling group originating said contact.

2. (Previously presented) The method according to claim 1, wherein the at least one other communication system is located outside a coverage area of the first communication system.

3. (Previously presented) The method according to claim 1, wherein the data transmission connection comprises a short-range wireless data transmission connection.

4. (Previously presented) The method according to claim 1, wherein the terminal comprises means for performing mobile communication.

5. (Previously presented) The method according to claim 1, wherein the terminal functions in an Internet Protocol based multimedia system (IMS).

6. (Cancelled)

7. (Previously presented) The method according to claim 1, wherein a contact leaving another terminal and aimed at the terminal is directed to the at least one other communication system.

8. (Previously presented) The method according to claim 1, wherein a parameter is determined from the terminal that is the actual target of the contact.

9. (Previously presented) The method according to the claim 1, wherein data connected to the redirection is transmitted to another terminal.

10. (Previously presented) The method according to claim 1, wherein deactivation of redirection is automatic if the terminal is switched on or at the latest after a certain time.

11. (Currently Amended) A system which comprises:

a first communication system capable of being coupled to a first terminal via a data transmission connection, and

wherein a contact directed to the first terminal is capable of being redirected to at least one other communication system, wherein the data transmission connection is capable of transmitting the address of the at least one other communication system as a proposal to the first terminal, wherein the proposal identifies one or more ~~comprises~~ possible call forward targets of the at least one other communication system outside a home network of the terminal, said first communication system being capable of receiving, from the first terminal, an acceptance based on the proposal and user input regarding the proposal and automatically setting up a redirection of calls to the terminal to the at least one other communication system in response to the acceptance of the proposal; and

wherein the contact is redirected to the at least one other communication system based, at least in part, on a parameter selected from a group of parameters including at least one of:

- a presence of text content in said contact,
- a presence of audio content in said contact,
- a presence of pictorial content in said contact,
- a subject of said contact,
- a caller originating said contact, and
- a calling group originating said contact.

12. (Previously presented) The system according to claim 11, wherein the at least one other communication system is located outside a coverage area of the first communication system.

13. (Previously presented) The system according to claim 11, wherein the data transmission connection comprises a short-range wireless data transmission connection.

14. (Original) The system according to claim 11, wherein the terminal comprises means for performing mobile communication.

15. (Previously presented) The system according to claim 11, wherein the terminal is arranged to function in an Internet Protocol based multimedia system (IMS).

16. (Original) The system according to claim 11, wherein the terminal comprises means for automatically deactivating the redirection.

17. (Cancelled)

18. (Original) The system according to claim 11, wherein, in addition, the system comprises means for transmitting the data connected to the redirection to another terminal.